| | · · · · · · · · · · · · · · · · · · · |
|---|---------------------------------------|
| 4 | NOGHE/TWC |
| | コレビュニー/ イン・・ |
| • | |

AKC

SPECIAL PACKAGING INSTRUCTION

Form Approved OMB No. 0704-0188 -BM

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202–4302, and to the Office of Management 1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

| TANTOR DRAWING NO. (CAGE) NOMENCLATURE | | | | | 2. CODE INDENT | 3. SPI NO. | |
|--|----------|---------------------|------------|----------------------------------|-------------------------------------|---|-------------|
| 715545 (61208) CARRIER ASSEMBLY | | | | | 19207 AK1423850 | | |
| 4. NATIONAL STOCK NO. 3010-01-423-8505 | | | | | | 5. DATE OF DRAWING 3 - 18 - 96 | 6. REVISION |
| 7. QUP 8. ICQ 8. UNIT | | 9. UNIT P | 208.7 (LB) | | 10. UNIT PACK CU (CU. FT.) 5.088 | 11. UNIT PACK SIZE (INCHES) 36.0 X 18.5 X 13.2 | |
| 12. PRESERV | ATION | | | 18. STEPS | 19. REQD | 20. DESCRIPTION | |
| a. LEVEL A | | | | | | | |
| MIL-P-116, SEE NOTE B | | | | SEE NOTES FOR PACKAGING DETAILS. | | | |
| b. LEVEL 8 | | | | 1 | | | |
| | NOT APP | PLICABLE | | | - | | |
| 13. CLEANING | } | | | | <u> </u> | | |
| MIL-P-116, PROCESS C-1 | | | | | | | |
| 14. DRYING | | | | | | | |
| | MIL-P-11 | 6 | | | | | |
| 15. PACKING | | | | | - | | |
| a. LEVEL A | | | | | | | |
| | MIL-STD- | -2073-1B AND NOTE J | | | | | |
| b. LEVEL 8 | | | | | | | |
| | NOT APF | PLICABLE | | | | | |
| 16. MARKING | | | | | | | |
| | MIL-STD- | -129 AND NOTE H | | | | | |

17. NOTES/DRAWING

- A. INSPECT PRESERVATION AND UNIT PACK IN ACCORDANCE WITH MIL-STD-2073-1B. INSPECT THE PACKING IN ACCORDANCE WITH MIL-STD-1186 AND THE APPLICABLE CONTAINER SPECIFICATION.
- B. KIT, P/N 715545, CONTAINS THE FOLLOWING ITEMS, SEGREGATED AS SHOWN BELOW. ALL PARTS BELOW HAVE CAGE CODE 19207.

| QUANTITY | DESCRIPTION | PART NUMBER | SEGREGATED PACK NUMBER |
|----------|-----------------|-------------|------------------------|
| 1 | GEAR, BEVEL | 7709108 | 1 |
| 1 | BEARING, WASHER | 7708733 | 2 |
| 1 | GEAR, BEVEL | 7709101 | 3 |

THE ABOVE SEGREGATED PACKS ARE PACKAGED IN ACCORDANCE WITH METHOD IA-14 AND ARE CONSOLIDATED IN A WOODEN SHIPPING CONTAINER IN ACCORDANCE WITH METHOD III.

- C. PREPARE ONE BEVELED GEAR, P/N 7709108, IN ACCORDANCE WITH THE STEPS BELOW.
 - 1. PRESERVATIVE: VV-L-800. APPLY TO ALL SURFACES OF THE GEAR.
 - 2. WRAP: MIL-B-121, TY I, CL 2, GRADE C, SIZE: 50 X 24. APPLY WRAP TO GEAR. SECURE WITH TAPE PPP-T-60.
 - 3. CUSHIONING: ASTM 5168, TY CF, CL WR, VAR TW, GR 1100. SEE ITEMS C AND D PAGES 3-4.
 - 4. IDENTIFICATION: IDENTIFY AS SEGREGATED PACK NUMBER "1".
- D. PREPARE ONE BEARING WASHER, P/N 7708733, IN ACCORDANCE WITH THE STEPS BELOW.
 - 1. WRAP: MIL-B-121, TY I, CL 2, GRADE A, SIZE: 31 X 17. APPLY WRAP TO BEARING WASHER. SECURE WITH TAPE PPP-T-60.
 - 2. BAG: MIL-B-117, TY I, CL B, ST 2, SIZE: 15 X 16. CLOSURE SHALL BE BY HEAT SEALING.
 - 3. IDENTIFICATION: IDENTIFY AS SEGREGATED PACK NUMBER "2".

Form Approved OMB No. 0704-0188 -BM

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188). Washington, DC 20503. Please do not return your form to either of these addresses.

| | Management and Baaget, 1 ape | | | | |
|--|------------------------------|---------|------------------|----------------------------|-------------|
| 1. PART OR DRAWING NO. (CAGE) NOMENCLATURE | | | | 2. CODE INDENT | 3. SPI NO. |
| | 715545 | (61208) | CARRIER ASSEMBLY | 19207 | AK14238505 |
| | 4. NATIONAL STOCK NO. | | | 5. DATE SUBMITTED (YYMMDD) | 6. REVISION |
| | | 3010-0 | 1-423-8505 | 3-18-96 | |

- 17. NOTES/DRAWINGS CONTINUED
- E. PREPARE ONE BEVELED GEAR, P/N 7709101, IN ACCORDANCE WITH THE STEPS BELOW.
 - 1. PRESERVATIVE: VV-L-800. APPLY TO ALL SURFACES OF THE GEAR.
 - 2. WRAP: MIL-B-121, TY I, CL 2, GRADE C, SIZE: 44 X 23. APPLY WRAP TO GEAR. SECURE WITH TAPE PPP-T-60.
 - 3. CUSHIONING: ASTM 5168, TY CF, CL WR, VAR TW, GR 1100. SEE ITEMS A AND B PAGES 3 & 5.
 - 4. CONTAINER: ASTM D 4727, TY CF, CL DOM, VAR SW, GR 275, SIZE: 15 X 15 X 6. CONTAINER CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE METHOD OF ASTM D 1974.
 - 5. BAG: MIL-B-117, TY I, CL E, ST 1, SIZE: 24 X 25. CLOSURE SHALL BE BY HEAT SEALING.
 - 6. CONTAINER: ASTM D 4727, TY CF, CL WR, VAR SW, GR V3c, SIZE: 15-5/8 X 15-5/8 X 6-7/8. CONTAINER CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE METHOD OF ASTM D 1974.
 - 7. IDENTIFICATION: IDENTIFY THE CARTON AS SEGREGATED PACK NUMBER "3".
 - 8. INSPECTION: INSPECT SEGREGATED PACK IN ACCORDANCE WITH CRITERIA FOR METHOD IA-14.
- F. CONSOLIDATE THE ITEMS FROM NOTES C AND D TOGETHER IN ACCORDANCE WITH THE STEPS BELOW.
 - 1. CONTAINER: ASTM D 4727, TY CF, CL DOM, VAR SW, GR 275, SIZE: 16 X 16 X 6-1/4. CONTAINER CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE METHOD OF ASTM D 1974.
 - 2. BAG: MIL-B-117, TY I, CL E, ST 1, SIZE: 25 X 26. CLOSURE SHALL BE BY HEAT SEALING.
 - 3. CONTAINER: ASTM D 4727, TY CF, CL WR, VAR SW, GR V3c, SIZE: 16-5/8 X 16-5/8 X 7-1/8. CONTAINER CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE METHOD OF ASTM D 1974.
 - 4. IDENTIFICATION: IDENTIFY CARTON AS CONTAINING SEGREGATED PACKS NUMBER "2" AND "3".
 - 5. INSPECTION: INSPECT SEGREGATED PACK IN ACCORDANCE WITH CRITERIA FOR METHOD IA-14.
- G. CONSOLIDATE THE ITEMS FROM NOTES E AND F, TOGETHER, IN ACCORDANCE WITH THE STEPS BELOW.
 - 1. BLOCKING/BRACING: MIL-STD-1186. PLACE BLOCKING AS SHOWN ON PAGE 6.
 - 2. CONTAINER: PPP-B-621, CL 2, ST 4, SIZE: 33 X 17 X 8-1/8. THE CONTAINER IS CONSTRUCTED OF ALL 1 INCH THICK NOMINAL LUMBER AND IS MODIFIED TO INCLUDE BEVELED SKIDS. SIZE AND APPLICATION OF SKIDS ARE IN ACCORDANCE WITH PPP-B-621.
 - 3. INSPECTION: INSPECT UNIT PACK IN ACCORDANCE WITH CRITERIA FOR METHOD III.
- H. PROVIDE A PACKING LIST WITH THE UNIT PACK IN ACCORDANCE WITH MIL-STD-129. ON THE PACKING LIST, IDENTIFY THE ITEMS WITHIN EACH SEGREGATED PACK TOGETHER WITH THEIR SEGREGATED PACK NUMBER.
- J. UNIT CONTAINER IS THE SHIPPING CONTAINER.

Form Approved OM8 No. 0704-0188 –BM

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions, for reducing this burden, to Weshington Headquarters Services, Directorate for Information Operations and Reports, 215 Jefferson Davis Highway, Suite 1204. Arlington Va 22202–4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503. Please do not return your form to either of these addresses.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE
715545 (61208) CARRIER ASSEMBLY


4. NATIONAL STOCK NO. 3010-01-423-8505

5. DATE SUBMITTED (YYMMOD)
3-18-96


6. REVISION

17, NOTES/DRAWING






ITEM B FIBERBOARD BLOCKING, ASTM 5168, TY CF, CL WR, VAR TW, GR 1100 (2 REQUIRED)




ITEM C FIBERBOARD BLOCKING, ASTM 5168, TY CF. CL WR, VAR TW, GR 1100 (2 REQUIRED)




ITEM D FIBERBOARD BLOCKING, ASTM 5168, TY CF, CL WR, VAR TW, GR 1100 (2 REQUIRED)

ITEM E 1 1/4×7 3/4(ACT)× 15 3/4



NOTE: S=SCORE LINE




Form Approved OMB No. 0704-0188 -BM

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions, for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 215 Jefferson Davis Highway, Suite 1204. Arlington Va 22202–4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503. Please do not return your form to either of these addresses.

| Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20813. Please do Not return your form to sum of these actuals and the sum of these actuals and the sum of these actuals and the sum of the sum

17. NOTES/DRAWING



Form Approved OMB No. 0704-0188

-BM

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching extraording data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions, for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 215 Jefferson Davis Highway, Suite 1204. Artington Va 22202–4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503. Please do not return your form to either of these addresses.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE
715545 (61208) CARRIER ASSEMBLY

4. NATIONAL STOCK NO.
3010-01-423-8505

5. DATE SUBMITTED (VANADO)
3-18-96

6. REVISION

17. NOTES/DRAWING



Form Approved OMB No. 0704-0188

−BM

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions, for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 215 Jefferson Davis Highway, Suite 1204. Arlington Va 22202–4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503. Please do not return your form to either of these addresses.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE
715545 (61208) CARRIER ASSEMBLY

4. NATIONAL STOCK NO.
3010-01-423-8505

2. CODE INDENT
19207

A K 1 4 2 3 8 5 0 5

5. DATE SUBMITTED
3. SPI NO.
A K 1 4 2 3 8 5 0 5

6. REVISION

17. NOTES/DRAWING

